

Starrett® Quality Precision Innovation Since 1880

Micrometer with Insulated Frame

- Thermal insulators mounted on the frame front and rear
- Heavier frame, adjusting shell and barrel
- Fitted case
- Ratchet stop, lock nut and carbide faces
- Range: 0-1" - Graduation .0001"

SPECIAL PURCHASE



Order No. MV70-63967
List Price \$182.00

SALE \$89.95

MT-286*141

ProSite® Tape Measures

- Impact resistant ergonomic case
- Easy-to-read blade
- Double riveted tip



Starrett No.	Description	Order No.	Mfg. List	SALE
XY1-25	25' S1 Grad, with Yellow Case	MV80-67670	\$21.50	\$13.00
XY1-30	30' S1 Grad, with Yellow Case	MV80-67672	24.77	16.00

E

MT-1024*141

Global Series No. 799A Basic Electronic Caliper – No SPC Output

- Resolution on .0005" (0.01mm)
- Lightweight, ergonomic design
- Zero at any position
- Automatic shut-off after 5 minutes of non-use
- Last measuring position retained when shut off
- Hardened stainless steel body for long life
- Integrated depth rod on all sizes
- Lock screw and fine adjustment thumb wheel



Catalog No.	Description	Order No.	SALE
799A-6/150	Electronic Caliper without output, 0-6" (0-150mm) in case	MV70-67410	\$134.50
799A-8/200	Electronic Caliper without output, 0-8" (0-200mm) in case	MV70-67412	190.50
799A-12/300	Electronic Caliper without output, 0-12" (0-300mm) in case	MV70-67621	334.95

F

MT-785*141

EXACT™ Torpedo Levels

Grooved Base & Magnetic Base

- Cast aluminum frame
- Top sight level vial



Starrett Item No.	Description	Order No.	List Price	SALE
A9	9" 3 vials (1 plumb, 1 level, 1 45°), top reading (V-Grooved)	MV80-36069	\$15.05	\$12.95
M9	9" 3 vials (1 plumb, 1 level, 1 45°), top reading (Magnetic Base)	MV80-36070	17.25	14.70
AM9	9" 3 vials (1 plumb, 1 level, 1 45°), side & top reading	MV80-36071	11.15	9.50

E

MT-732*141

Angle Meter

- Large scale for reading
- 5" x 5" magnetic base and back
- Pitch/angle calculator finds rise, run, angle, pitch information on back of tool

Order No. MV80-36080
List Price \$15.40

SALE \$13.50




E


MT-214*141

Global Series 1202 Series Dial Calipers

- Graduation: .001", .100" per revolution†
- Sharp, black graduations on the satin finished bar
- Thumb-operated adjustment and lock screws
- Anti-backlash control
- Hardened stainless construction
- † 1202F has 1/64" graduations on the yellow outer scale, and .01" on the white inner scale.



Model 1202F-6
Fractional Dial Caliper



Model 1202-4
4" Dial Caliper

FROM \$80.05

Cat. No.	Description	Order No.	Regular Price	SALE
1202-4	4" Dial Caliper	MV70-68814	\$ 92.00	\$ 80.05
1202-6	6" Dial Caliper	MV70-67472	129.00	112.25
1202-8	8" Dial Caliper	MV70-67473	183.00	159.25
1202-12	12" Dial Caliper	MV70-67474	266.00	231.45
1202F-6	6" Fractional Readout Caliper	MV70-68931	129.00	112.25

E

MT-794*141

NATIONAL

4-Pc. Screw Pitch and Radius Gage Set

WORLD *Class* QUALITY

Consists of 1 each:

- Screw pitch & center gage
- 1/32" to 1/4" Radius gage set
- 17/32" to 1/2" Radius gage set
- 51 Leaf screw pitch gage – 4 to 84 pitch



Order No. NB65-4PCRS
List Price \$44.50

SALE \$32⁹⁵

D

MT-346*141

NATIONAL

Bench Block

WORLD *Class* QUALITY

- 3" Diameter, 1 1/2" Height
- 7 Hole, 1/8" to 5/8" Diameter
- Very handy for holding work when driving pins, drilling, etc.
- V-Groove across the face accommodates round and odd shaped stock
- Smooth finish on the face preserves the work being held
- Hardened and ground knurled body for a firm grip
- Recessed base for light weight



Order No. NE60-MBB0370
List Price \$16.95

SALE \$9⁹⁵

D

MT-625*141

360° Circular Levels

- All purpose, 360° vial level in all directions
- Sturdy plastic construction
- Large sight for ease of reading
- Use on milling machines, drill press or any machine table for quick check leveling



Model	Description	Order No.	SALE
Empire	1-3/4" Diameter	KP75-3604	\$2.50
Starrett	1-3/4" Diameter	MV80-36078	2.25

D

MT-1041*141

Tapered Bore Gages

- 1 to 15mm Range
- Handy gage for measuring cylindrical bores, bearing work and for gaging slots
- Made from matte finished stainless steel
- Clearly etched graduations for precise measurement



NATIONAL

Order No. NE60-MGB0359
List Price \$6.95

SALE \$4⁹⁵

SHINWA
Shinwa Measuring Tools

Order No. MZ75-700A
List Price \$20.20

SALE \$13⁹⁵

SHINWA
Shinwa Measuring Tools

Tapered Bore Gage With Rule

WORLD *Class* QUALITY

- Stainless steel
- Fully heat treated with photographically etched graduations
- 1-15mm Tapered gage with 130mm rule



Order No. MZ75-700S
List Price \$24.95

SALE \$19⁹⁵

D

MT-1040*141

PROCHECK

12" Combination Square Sets

Sets consist of:

- 2-Pc. set: 12" Blade, Square head only
- 3-Pc. set: 12" Blade, Square head and Center head
- 4-Pc. set: 12" Blade, Square head, Center head and protractor head

All sets supplied with 12" Combination Square blade, graduated in 8th, 16th, 32nd and 64th



Description	Order No.	List Price	SALE
2 piece set	NB60-CS122	\$21.30	\$16.95
3 piece set	NB60-CS123	26.85	21.95
4 piece set	NB60-CS124	49.00	31.95

C

MT-1042*141

KEY-BAK

Key Reels and Holders

- Keep tooling accessories within easy reach of work area
- A secure way to manage frequently used keys, tools, and devices.
- These retractors and holders offer various mounting options for ease of use and security.
- Each retractor is tested in excess of 100,000 pulls.
- **Tool striker and chuck key not included**



RP65-0005005 RP65-0005011 RP65-0007023 RP65-0057202

Description	Retraction Force	Attachment Type	Application	Includes	Order No.	List Price	SALE
Torch Striker with 24" (Extended) Stainless Steel Chain Reel w/Belt Clip	8 to 10 oz.	Belt Clip	Holds torch striker (Not Included) and other Small Tools	Split Ring	RP65-0005005	\$12.25	\$7.95
24" (Extended) Stainless Steel Chain Key Reel w/Belt Clip	8 to 10 oz.	Belt Clip	For Holding Keys	Split Ring	RP65-0005011	12.25	7.95
24" (Extended) Stainless Steel Chain Tool Reel w/Bracket Mount	8 to 10 oz.	Bracket Mount	For Holding Drill Chuck Keys (Chuck Key Not Included)	Plastic Clamp	RP65-0007023	13.95	8.95
Pencil Holder Mini-Bak (Black) 24" (Extended) Cord w/Belt Clip	2 to 3 oz.	Belt Clip	For Holding Pencils And Markers	Pencil Pull	RP65-0057202	6.50	4.95

D

PS-598*141

Mitutoyo Measuring the World

StemMount Dial Test Indicator

- Jeweled bearings • Reversible contact point
- Two holding bars are supplied. One (1/2" x 1/4") is used with lathe tool posts and height gages, the other (.315" dia.) with drill chucks.
- Fully adjustable bezel/dial face
- Contact point is adjustable within 240 degrees.
- Complete with accessories and compact carrying case



Range	Graduation	Dial Reading	Order No.	List Price	SALE
.01"	.0001"	0-50-0	MT80-513-504T	\$152.00	\$145.00
.04"	.001"	0-20-0	MT80-513-518T	119.00	114.00

Set includes: 5/32" & 3/8" Stems and .080" Point installed. Plus Bar, Clamp and Point Wrench.

D

MT-923*141

Test Indicator with Ruby Stylus

Features:

- Wear characteristic improved by 50%
- Non-magnetic and non-conductive material enables use in EDM operation

Specifications:

- Graduation: .0005"
- Measuring range: .03"
- Accuracy: ±.0005"
- Measuring force: .07165" or less
- Contact point diameter: .79"
- Stem diameter: ø3.8"

Order No. [MT80-513-472](#)
Regular Price \$125.00

SALE
\$119⁰⁰



D

MT-848*141

Precision Tool Kit

Dial Test Indicator 513-907

- Graduation: .0005" • Range: .03"
- Dial reading 0-15-0
- Jeweled bearings, anti-magnetic
- ø3/8" Stem
- Accepts ø3.8" / ø5/32" holding stems, plus dovetail groove
- 150N Magnetic force

Order No. [MT80-513-907](#)
Regular Price \$186.00

SALE
\$177⁰⁰



D

MT-849*141

Magnetic Bases

Mitutoyo Magnetic Stands accept all AGD-type dial indicators, test indicators and probes having .375", 6mm or 8mm diameter stems and/or lug back with 1/4" diameter mounting hole. The On/Off switch offers instant mounting and dismounting without any adverse effect to the indicators or work surface.

Mitutoyo Magnetic Stands have 132 Lbf of magnetic force to help prevent damage to indicators and probes due to accidental base fall-over.



Description	Order No.	List Price	SALE
Magnetic Stand w/6" Rod & Universal Clamp	MT80-7010S	\$120.00	\$114.00
Magnetic Stand w/ 6" Adjustable Rod & Universal Clamp	MT80-7011BN	137.00	131.00
Flexible Magnetic Stand	MT80-7012	175.00	167.00

D

MT-1043*141

0-1" / 0-25mm IDU Digimatic Indicators

- .0005" / 0.01mm Resolution
- Easy-to-read LCD • SPC output
- Slim design fits into tight spaces
- Battery powered for portability
- Functions include: in/mm conversion, zero-set and on/off
- Supplied with lifting lever 137693
- Flat back only



Order No. [MT80-575-123](#)
List Price \$169.00

SALE
\$153⁰⁰

E

MT-633*141

Basic Machinist Tool Set

Set Consists of:

- 6" Black Steel Rule, 16R graduation
- 0-1" Micrometer, .0001" grad (Ratchet Thimble)
- 0-6" Dial Caliper, .001" grad
- Storage Case



Order No. [MT80-950-920](#)
Regular Price \$199.00

SALE
\$139⁹⁵

C

MT-847*141

Quick Mini Snap Caliper

SPECIAL PURCHASE

It's the size of a business card, but with the power and precision of Mitutoyo inside.



The Quick Mini is a convenient snap-action pocket thickness gage offering LCD digital readout. Quick Mini is ideal for rapid checking of a variety of materials including metal, paper, plastics, and wood.

Description	Order No.	List Price	SALE
.5" Quick Mini	MT80-700-118	\$103.00	\$98.00
1" Quick Mini	MT80-700-122	116.00	89.95

D

MT-668*141

Multi-Anvil Micrometers

- Carbide tipped spindle face
- Furnished with 2 anvils — Flat Anvil (MT80-201216) Rod Anvil (MT80-201217)
- 1-2" supplied with standards
- Can be used as a mini height gage



.0001 Inch Graduation

Range	Order No.	Price	SALE
0 - 1"	MT80-117-107	\$180.00	\$171.00

D

MT-929*141

Dial Thickness Gage

Features:

- The thickness gage offers a quick and efficient means of inspection with their convenient grip handle, thumb trigger and spring-loaded spindle
- The model covers a wide range of applications
- With ceramic spindle and anvil

Range	Graduation	Order No.	List Price	SALE
0-.5"	.001"	MT80-7300	\$115.00	\$110.00

D

MT-1044*141

PRO-CHECK

Radius Gage Sets

- All sets have stainless steel, hardened, satin chrome clad finish
- Each blade marked with size
- Plastic case included

WORLD
CLASS
QUALITY



25 Pc. Set (with holder)
1/64" - 17/64" by 64ths
9/32" - 1/2" by 32nds
Order No. NB67-L300CX
Regular Price \$32.90

8 Pc. Set (without holder)
9/16" - 1" by 16ths
Order No. NB67-L300E
Regular Price \$89.90

SALE \$19⁹⁵

SALE \$69⁹⁵

C

MT-264*141

Lufkin®

Hi-Vis® Orange Power Tapes - Series 1000

- Toggle Lock button
- Four rivet Quad-Hook™ on 1" wide blades
- Graduated 1/16" top edge
- Graduated to 1/16" bottom edge, first 12" to 1/32" (except 1" blades)



Blade Dimension	Order No.	Mfg. List Price	SALE
3/4" x 12'	MZ50-HV1312	\$10.24	\$6.95
3/4" x 16'	MZ50-HV1316	12.13	7.95
1" x 25'	MZ50-HV1425	15.72	10.95

D

MT-980*141

PRO-CHECK

Precision Angle Gage Set

5° to 90° in 5° increments

- 18 Individual gages
- 8 Gaging surfaces per gage
- Each gage checks primary, 1/2 primary and complementary angles
- Quick & accurate inspection of angles & I.D. or O.D. chamfers
- Positioning of lathe tools for chamfers
- Inspecting angles on ground form tools and cutters

A MUST for Toolmakers & Machinists!



Order No. NB67-L300AG
Regular Price \$34.90

SALE \$21⁹⁵

C

MT-250*141

Master Precision Levels

WORLD
CLASS
QUALITY

Special Features:

- The main level vial is graduated to 10 second accuracy (1 division equals .0005" per foot)
- Insulated frame • Fitted case



Size	Order No.	List Price	SALE
8"	NN95-2422008	\$120.00	\$ 89.95
12"	NN95-2422012	145.00	119.95

B

MT-672*141



360° Digital Level/Protractor

- Instant LCD display of level, tilt, true vertical or any angle in between to highest accuracy, 1/10 of a degree reading.
- Deviation from true plane is measurable through full 360° (4x90°)
- Floating zero. Provides zero selection anywhere within its 360° range
- Hold button
- Reset plus Superset self-calibration modes
- Tapped #6-32 holes and V-Groove in baseplate
- Operates on standard 9V Alkaline battery (included). Low battery indicator. Automatic shut-off.

SPECIFICATIONS

Measuring Range 360° (4x90°)
Resolution 0.1°
Accuracy 0-10° ±0.1°
11-79° ±0.2° 80-90° ±0.1°
Repeatability05
Cross Axis Error Less than 2° up to 20°
Operating Temperature Range -5° to +50°C
Storage Temperature Range -20° to +60°C
Size 6.0x1.2x1.9" high
Weight 10.2 oz.



Description	Order No.	Price	SALE
Digital Level w/o SPC (Case Not Included)	NA42-360	\$209.00	\$169.95
Digital Level/Protractor Case Only	NA42-78011699	34.50	24.95

D

MT-1045*141

CNC Simplified

Includes CD-ROM

This textbook covers everything from programming basics to bench-top teaching machines to industrial machines to milling and turning programming to an introduction to CAD/CAM. What's more, a CAD/CAM SOFTWARE PROGRAM, included in each book, makes it possible to design a part on the computer, generate machining codes, and simulate the tool path (cutting action) to check for programming errors.



Order No. MY50-31330


SALE \$53⁹⁵

E

MT-1046*141

The Tool Steel Guide

The **Tool Steel Guide** is packed with specifications, heat treatments and applications of all types of die and mold steels, as well as ideas and suggestions on how to prepare steels for machining and heat treatment. This handy and convenient guide will go a long way in helping dispel the air of mystery that for many years has surrounded the selection, heat treatment and use of tool steels.



Order No. MY50-31713

SALE \$19⁹⁵


E

MT-707*141

NATIONAL

Economy 4-Pc. Square Sets

WORLD
CLASS
QUALITY



Size (in.)	Order No.	List Price	SALE
2, 3, 4, & 6	NE60-ES4	\$19.95	\$14.95
4, 6, 9, & 12	NE60-ES4L	45.00	28.95

D

MT-1052*141



Machinist Jack Set

- Set consists of 2 machinists jacks in a shop-hardened case.
- Individual jacks consist of a heavy, steel cast 1½" base with adjustable steel screw and tilting swivel head, with a lock nut for permanent positioning
- Range: Min. 3"; Max: 4"; capacity: 1000 lbs.



Order No. NA55-52104025

SALE \$10⁹⁵



MT-1047*141

Edge & Center Finders

- Edge and Center Finders are hardened and ground all over.
- Accurately locates the starting point for all types of machine work and jig boring.
- Accuracy = .0002"
- Price includes fitted vinyl case



Edge & Center Finders #52-575-series:

Left to right: A, B, C, D, E, & F (corresponds to letters in chart below).

Description	Order No.	SALE
<i>Edge & Center Finders – Inch Series:</i>		
A. Edge Finder 3/8" x .200"	NA55-52575010	\$ 9.50
B. Edge Finder 1/2" x .200"	NA55-52575015	10.50
C. Combo Edge & Center Finder 3/8" x .200"	NA55-52575020	11.50
D. Combo Edge & Center Finder 1/2" x .200"	NA55-52575025	12.50
<i>Edge & Center Finders – Metric Series:</i>		
E. Edge Finder 3/8" x 10m	NA55-52575030	\$9.50
F. Edge Finder 10mm x 10mm	NA55-52575035	10.50



MT-1049*141

X-DEPTH 22 0-22" Depth Gage

Twice the range of competitive products!

- 0—1" travel indicator • .001" Graduations
- Rods connect together for full 22" capacity
- Satin chrome finish • Base size: 4"
- Includes 2 extra points for small hole applications; one 0.078" dia. x 1" long and one needle point x 1" long
- Includes shop-hardened case.



Order No. NA55-52125006

Regular Price \$152.00

SALE \$59⁹⁵



MT-975*141

X-PRO™ Portable Roughness Tester

- Small compact size
- 2 selectable parameters: Ra and Rz
- Large LCD display
- Meets ISO and DIN standards
- N.I.S.T. traceable specimen included
- Uses 9 volt battery (approx. 3000 measurements)
- Includes fitted case
- Compare to roughness testers costing \$2,000 or more!



Description	Order No.	Regular Price	SALE
X-Pro Portable Roughness Tester .0004" probe	NA55-54410500	\$1495.00	\$1404.00
X-Pro Portable Roughness Tester .0002" probe	NA55-54410600	1495.00	1404.00

E Also available with RS232 output.

MT-958*141

Premium Dial Indicator

- Popular AGD 2 series
- Jet console-black dial face with orange hand
- Range 0-1"
- 0-100 continuous reading
- .001" graduations
- Solid brass housing
- Carbide contact point
- Includes certificate of calibration



Black Face

Order No. NA55-525201101

White Face

Order No. NA55-525201102


List Price \$39.95

SALE \$25⁹⁵



MT-1048*141

XTRA-VALUE CAL Electronic Caliper



- Stainless steel frame.
- Large easy-to-read display.
- Resolution: .0005"/.01mm
- Direct inch/metric conversion.
- 4 way measuring.
- Complete in case.

Range	Order Number	Regular Price	SALE
0-6"/150mm	NA55-541011501	\$45.00	\$26.95
0-12"/300mm	NA55-541013001	90.00	69.95



MT-951*141

CHROME FLEX MAG SET

AGD Indicator features:

- AGD Group 2
- Dial diameter: 2-1/4"
- Travel: 1"
- Reading: .001"
- Continuous reading: .100"
- Carbide tipped point

Included Magnetic Indicator Back for mounting to most metal surfaces!

Flex Arm Mag Base features:

- Corrosion resistant chrome plated flex arm.
- 85 lb. pull magnet
- Holds rigidly in almost any position.
- V-base for mounting on rounded surfaces.

Magnetic Indicator Back features:

- Use for positioning the indicator on most metal surfaces.
- Protective coating

All packed in a Shop-Hardened case!



Order No. NA55-52585500

Regular Price \$157.50

SALE \$59⁹⁵



MT-976*141

Bevel Protractor

- Magnifier for vernier
- Includes 6" & 12" blades and an angle attachment
- Satin chrome finish for easy readings
- Graduation: 360° • Reading to 5 minutes
- Includes fitted case



Order No. NA55-52440612

Regular Price \$189.00

SALE \$74⁹⁵




MT-979*141

Good brown & sharpe BesTest® Dial Test Indicators

BesTest Indicator Features:

- Constant clockwise rotation
- Swiveling point
- Universal mounting
- Automatic reversal
- Carbide tip point
- Anti-magnetic & corrosion resistant



BestTest -5 Series
(Black Face)

BestTest -3 Series
(White Face)

Range	Marking	Smallest Division	Dial Dia.	Tip Length	Tip Dia.	Brown & Sharpe No.	Order No.	List Price	SALE
Inch Reading Black Dial Face									
.030"	0-15-0	.001"	1"	1/2"	080"	59970295	MV45-51732	\$153.00	\$122.95
.030"	0-15-0	.0005"	1"	1/2"	080"	59970305	MV45-51733	155.00	128.95
.030"	0-15-0	.0005"	1 1/2"	1/2"	080"	59970315	MV45-51734	172.00	152.95
.008"	0-4-0	.0001"	1"	1/2"	080"	59970325	MV45-51737	208.00	165.95
.008"	0-4-0	.00005"	1 1/2"	1/2"	080"	59970335	MV45-51738	219.00	194.95
.020"	0-10-0	.0005"	1"	1 1/16"	080"	59970345	MV45-51735	192.00	179.95
.020"	0-10-0	.0005"	1 1/2"	1 1/16"	080"	59970355	MV45-51736	211.00	187.95
Inch Reading White Dial Face									
.030"	0-15-0	.001"	1"	1/2"	080"	59970293	MV45-45977	194.00	179.95
.030"	0-15-0	.0005"	1"	1/2"	080"	59970303	MV45-45978	202.00	180.95
.030"	0-15-0	.0005"	1 1/2"	1/2"	080"	59970313	MV45-45979	208.00	184.95
.008"	0-4-0	.0001"	1"	1/2"	080"	59970323	MV45-45980	226.00	200.95
.008"	0-4-0	.00005"	1 1/2"	1/2"	080"	59970333	MV45-45981	261.00	232.95

MT-750*141

Good brown & sharpe 0-6" Dial-Cal Calipers

- Range per revolution .100" on inch and 2mm on metric
- Stainless steel construction
- Adjustable zero set
- 1.25" Diameter rotating dial with lock
- Anti-backlash, shockproof design
- Measure four ways: inside, outside, depth and step



599-579-4

599-579-5

.001 Inch Graduation

Face Color	Brown & Sharpe Tool No.	Order No.	List Price
White	599-579-4	MV45-51774	\$143.00
Black	599-579-5	MV45-51879	143.00

YOUR CHOICE
\$105⁹⁵

MT-743*141

Good brown & sharpe Ultra Precision Ground 1-2-3 Blocks

- Precision ground on all six surfaces
- Case hardened (HRC 55-60)
- Surface finish from 6 to 16 microinches
- Square on all sides to within .0001"
- 23 holes: 5 tapped 3/8"-16, 18 untapped thru holes

Order No. MV45-26764
Regular Price \$76.00

SALE \$69⁹⁵



MT-042*141

Thread Measuring Wire Sets

- 48 Wires — 16 different sizes
- Measures all threads from 3 to 48 threads per inch
- Complete in plastic case with thread chart



Order No. NB53-16
Regular Price \$12.50

Order No. NG49-16
Regular Price \$23.00

SALE \$9⁵⁰

SALE \$20⁵⁰

MT-695*141

MAG-MATE Inspection Mirror/Magnet Combination Tools

Two tools in one. Ideal to see behind, underneath or around machinery. These telescoping inspection mirrors have powerful Rare Earth magnets on the opposite end. Use the magnet to retrieve metal items or as a magnetic base to hold the inspection mirror in place.



Style	Mirror (in)	Material	Lift (Lbs.)	Dia. (in.)	Ln. (in.)	Ext Ln. (in.)	Order No.	List Price	SALE
A	1-1/2	Glass	2	5/16	6	23-1/2	NE70-306G240	\$15.55	\$10.95
B	2 x 1-1/4	Glass	2	5/16	6	24-1/4	NE70-315G240	13.50	8.95
C	2 x 2	Glass	2	5/16	6-1/4	28	NE70-301G240	13.05	8.50
D	1-7/8 x 2-1/2	Acrylic	12	1/2	7-3/4	34-1/2	NE70-321A931	36.00	23.95
E	2 x 3	Stainless	7	1/2	8-1/4	38	NE70-314S925	35.35	24.95

MT-1051*141

GENERAL

DCS1600 High Performance Data Logging Video Borescope System

Portable hand held complete borescope system with monitor, camera and video

Features:

- Compact, palm-sized unit includes LED light source, 3.5" (89mm) extra wide TFT (Thin Film Transistor) display, camera and recorder
- Takes still photos and video (compatible with most software including Windows media Player, no special software required)
- Internal SD memory allows user to save a whole video
- TV monitor output, Computer USB output, Data logging function
- Multiple mirrored viewing tips and extra wide view angle
- Comes with a 3.3 ft (1m) long flexible probe with 0.2" (5.5mm) diameter camera tip
- Insert tube is resistant to water, oil, dust, gasoline, and scratches

Specifications:

- Light Source: White LED
- Field of View Angle: Horizontal: 46°, Vertical: 34°, Diagonal: 56°
- Depth of field (DOF): 1cm ~ 6cm
- Working Temperature: 0° to 55°C
- Power: Rechargeable Li-Polymer battery (up to 4 hours record time)
- Recording Medium: 1G SD CARD (up to 2G)
- Video Out Format: NTSC & PAL

NEW



Order No. NB49-DCS1600
List Price \$1,599.00

Complete kit includes:

- Charger, lens module cable 3.3ft (1m), SD 512M memory card, 30°, 45° and 60° mirrors, USB to 5-pin mini-B cable, cleaning cloth, cotton swab, instructions, hard blowmolded case.

SALE \$1,495⁰⁰

MT-1050*141