

DEWALT Heavy Duty Cordless Compact Drill Driver Kits

- All Models Keyless chuck
- All metal planetary gears
- Variable RPM in all speeds
- Includes batteries, side handles, driver bit and case
- XRP extend run battery-long run time & battery life
- Metal ratcheting chuck with carbide jaws

STARTING AT
\$190⁹⁵



Model No.	Voltage	Chuck Size (in.)	Max Power (VWO)	No. of Speed Settings	RPM	Clutch Settings	Order No.	Price	SALE
DC720KA	18v	1/2	440	2	0-500/0-1700	17	PD20-DC720KA	\$366.70	\$199.95
DC742KA	12V	3/8	200	2	0-400/0-1450	17	PD20-DC742KA	233.50	109.95
DC900KL	36V	1/2	BPM 0 - 27,000	3	0 - 450 / 0 - 1200 / 0 - 1600	22	PD20-DC900KL	763.55	549.95
DC940KA	12 (XRP)	1/2	290	3	0-450/0-1450/0-1800	22	PD20-DC940KA	303.25	235.95
D940KX	18 Volt	1/2	480	3	0-450 / 0-1450 / 0-2000	22	PD20-D940KX	469.75	389.95

E

PT-466*141

Professional Series Die Grinders



Brand	Common Features	No Load Amps	RPM	Collet Size	Order No.	List Price	SALE
DEWALT	All Ball Bearing Construction, (2) Wrenches, Paddle Switch and Double Insulated 8' Cord	3.0	25,000	1/8", 1/4"	PD20-DW887	\$241.50	\$196.95
Milwaukee	All Ball and Roller Bearing Construction, Self Stopping Brush System, Lightweight Nylon Housing, Double Insulated 8' Cord, Trigger Switch	11.0	14,500	1/8", 1/4"	PD50-5196	449.05	365.95

E

PT-467*141

Professional Series Portable Belt Sanders

Portable belt sanders are used to remove material from large flat areas, trim and contour edges, and remove paint or coatings quickly.



Brand	Common Features	Unique Features	No Load Amps	SFM	Belt Size	Order No.	List Price	SALE
BOSCH	Lever for Belt Changes, Auto Belt Adjustment. 8' Cord	Variable Speed for Fine Finish, Removable Front Handle for Close Work, Dust Collection System.	6.6	550-1,100	3" x 21"	PD80-1274DVS	\$248.40	\$234.95
SKIL	Patented Auto Track Belt Alignment. 6' Cord	Attachment for Wet/Dry Vac	6.0	RPM 1050	3" x 18"	PD80-7500	84.90	69.95

E

PT-468*141

STEINEL UltraHEAT HB1750 Profesional Heat Blower

NEW

The Steinel® HB 1750 Heat Gun has easily interchangeable color coded variable temperature keys for the right temperature every time. Each key is designed to give specific temperature outputs from 200° and 1200°F.

- Easily interchangeable color coded variable temperature keys.

Blue: 200°F to 300°F, **Gray:** 300°F to 500°F,
Yellow: 500°F to 750°F, **Orange:** 750°F to 1000°F and
Red: 1000°F to 1200°F)

Order No. PD55-34750
Regular Price \$170.00

SALE \$139⁹⁵



- Fully adjustable, quick lock stand for hands-free operation and stores temperature keys for convenience.
- Powerful turbine blower with air delivery rate up to 23 CFM.
- Gun cylinder will not get hot while in operation.
- Lightweight and quiet, with a soft ergonomic grip.
- Plug-in heating element takes only seconds to change.
- Convenient slide switch (Off/ Cool/ Hot) and baffle to adjust air and temperature within key ranges.

Use for a variety of applications including shrink wrapping, desoldering, paint drying, paint stripping, welding plastics, softening adhesives, and thawing frozen pipes.

E

PT-469*141

Starrett® Powerband Matrix II Portable Bands

The best all-around bi-metal blade available. Cuts harder materials faster and longer.

Fits Machine Models:
Black & Decker, Greenlee, Milwaukee, Porter-Cable, Ridgid, Rockwell, Skil
(Will not fit X-Band)



Length	Width x Thickness	Pitch	Order No.	Sleeve of 3 Blades† List \$29.25 per sleeve SALE \$2250 per sleeve (\$7.50 EACH) (Sleeve cannot be broken)
44 7/8"	1/2" x .020	10	FX83-14600	
		14	FX83-14601	
		18	FX83-14602	
		24	FX83-14603	
		10-14	FX83-15708	
		14-18	FX83-16088	

† Sold per sleeve (3 per sleeve) only.

PT-383*141

Starrett® Electrical Fastcut™ Kit - Bi-Metal

Six of the most commonly used bi-metal sizes of hole saws in electrical work with A1, A2 Arbors and A12 Arbor adapter, and the following saws: 7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2"



Order No. FZ70-63620
Regular Price \$124.15

SALE \$75⁹⁵

PT-470*141

MT Quick Change Socket Adapters

- Hardened & tempered chrome vanadium steel
- For 1/4", 3/8" & 1/2" drive sockets



Order No. KP85-2902
Mfg. List Price \$9.95

SALE \$4⁵⁰

PT-396*141

Starrett® Premium Hard-back Bandsaw Blades Welded to Length



- Light to medium bandsaws used in toolrooms and maintenance
- Increased tensile strength for both contour and straight cutting
- Economical cutting of low alloy, non-ferrous metals



Length	Width	Thickness	Tooth	Order No.	List Price	SALE
5'4"	1/2"	0.025	14R	FX85-050451214	\$12.25	\$10.95
7'6"	1/2"	0.025	14R	FX85-07061214	14.30	11.95
7'9"	1/2"	0.025	10R	FX85-07091210	14.35	12.95
7'9"	1/2"	0.025	14R	FX85-07091214	14.85	12.95
7'9"	3/4"	0.032	8R	FX85-07093408	17.50	14.95
7'9"	3/4"	0.032	10R	FX85-07093410	17.50	14.95
7'9"	3/4"	0.032	14R	FX85-07093414	17.50	14.95
9'	3/4"	0.032	8R	FX85-09003408	18.85	15.50
9'	3/4"	0.032	10R	FX85-09003410	18.85	15.50
9'	3/4"	0.032	14R	FX85-09003414	18.85	15.50
9'6"	3/4"	0.032	8R	FX85-09063408	19.55	15.95
9'6"	3/4"	0.032	10R	FX85-09063410	19.55	15.95
9'6"	3/4"	0.032	14R	FX85-09063414	19.55	15.95
9'9"	3/4"	0.032	10R	FX85-09093410	20.55	16.95
10'	3/4"	0.032	6R	FX85-10003406	20.25	16.50
10'	3/4"	0.032	8R	FX85-10003408	20.25	16.50
10'	3/4"	0.032	10R	FX85-10003410	20.25	16.50
10'	3/4"	0.032	14R	FX85-10003414	20.25	16.50
10'6"	1/2"	0.025	10S	FX85-10061210	17.45	14.95
10'10"-1/2"	1"	0.035	10R	FX85-101051010	25.75	20.95
10'10"-1/2"	1"	0.035	8R	FX85-10105108	25.75	20.95
11'6"	3/4"	0.032	8R	FX85-11063408	22.30	17.95
11'6"	3/4"	0.032	10R	FX85-11063410	22.30	17.95
11'6"	3/4"	0.032	14R	FX85-11063414	22.30	17.95
11'6"	1"	0.035	6R	FX85-11061006	26.60	21.95
11'6"	1"	0.035	8R	FX85-11061008	26.60	21.95
11'6"	1"	0.035	10R	FX85-11061010	26.60	21.95
11'6"	1"	0.035	14R	FX85-11061014	26.60	21.95
12'6"	1/2"	0.025	6R	FX85-12061206	19.55	15.95
12'6"	1/2"	0.025	10R	FX85-12061210	19.55	15.95
12'6"	1/2"	0.025	14R	FX85-12061214	19.55	15.95

Special lengths can be supplied — Call for quote

PT-386*141

Milwaukee® Heavy-Duty Right Angle Drill Attachment

- Ideal for cordless drills and screwdrivers
- Durable — all metal construction
- Compact — measures only 2" wide
- Convenient — accepts standard 1/4" hex drive accessories
- Handles high torque
- Includes five bits



Order No. PD50-49228510
List Price \$75.65

SALE \$62⁹⁵

PT-347*141

Air Powered 4-1/2" Angle Grinder

- Ergonomic side handle design, powerful motor, durable alloy body
- Free Speed: 12,000 RPM
- Air Inlet Size: 1/4 NPT
- Spindle Thread: 5/8-11



Order No. PF50-RP9122B
List Price \$408.95

SALE \$339⁹⁵

E

PT-471*141

Precision Air Grinder with 1/8" Collet

- Air Pressure must be kept below 85 lb./in. - (High air pressure increases speed which causes damage to the wheels and grinder).
- An in-line filter and oiler should be used to provide adequate lubrication to the air motor



RPM	Order No.	List Price	SALE
60,000	PF50-RP9104Q	\$168.30	\$109.95

E

PT-472*141

Air Powered Ratchets



Drive (in.)	Features	Free Speed RPM	Average Air Consumption	Air Inlet Size	Order No.	List Price	SALE
1/4	Small, lightweight with soft grip handle, Under 6" in length, Torque up to 35 Nm (27 ft lb), Speed 275rpm	275	12.5 CFM	1/4 NPTF	PF50-RP9426	\$185.45	\$154.95
3/8	Small, lightweight with soft grip handle, Quick release button, Under 6" in length, Torque up to 35 Nm (27 ft lb), Speed 275rpm	275	12.5 CFM	1/4 NPTF	PF50-RP9427	192.50	144.95
3/8	Standard duty ratchet, Excellent value to price ratio, 70 Nm (50 ft lb) torque, Speed 160 rpm	160	4.25 CFM	1/4 NPTF	PF50-RP9435	124.45	103.95
1/2	Standard duty ratchet, Excellent value to price ratio, 70 Nm (50 ft lb) torque, Speed 160 rpm	160	4.25 CFM	1/4 NPTF	PF50-RP9436	132.30	109.95

E

PT-473*141

Air Powered Sanders and Grinders



Type	Description	Mount	Free Speed RPM	Average Air Consumption	Air Inlet Size	Order No.	List Price	SALE
Palm Sander	Redi Power grip for better handling, speed regulator, PSA mount, swivel rear exhaust, low vibration and noise, 5mm orbit	5" Disc	12,000	16.9 CFM	1/4 NPT	PF50-RP3511	\$236.85	\$109.95
Palm Sander	Redi Power grip for better handling, dust vacuum, speed regulator, PSA mount, swivel rear exhaust, low vibration and noise, 5mm orbit, 5/16"-24 thread	5" Disc	12,000	16.9 CFM	1/4 NPT	PF50-RP3513	112.60	94.95
Palm Sander	Balanced counterweight design for low vibration sanding, full 1/2 HP motor, heavy duty ball bearing construction, built-in speed regulator, 5/16"-24 spindle thread	6" Disc	9,600	8 CFM	1/4 NPT	PF50-RP9164	181.80	134.95
Die Grinder	22,000rpm, 1/4" and 6mm collet, Lock-off throttle, Excellent tool for general high speed polishing and grinding, 1/4" collet chuck	1/4" collet	22,000	1/4 NPT	1/4	PF50-RP9114	104.35	89.95
Right Angle Die Grinder	Mini Angle Grinder Compact, lightweight design, 90° angle head allows flexibility in confined areas	1/4" collet	22,500	1/4 NPT	1/4	PF50-RP9101	79.50	65.95

E

PT-474*141

Right Angle Grinder Surface Prep Kit

- Kit includes:**
- 22,000 RPM R/A die grinder
 - 2" & 3" Conditioning discs
 - 2" & 3" Turn on holders
 - 1/8" Collet & 1/4" collet
 - 10-Pc. stone assortment

Order No. PJ75-2010
Regular Price \$105.55

SALE \$69⁹⁵



PT-192*141

D

Side Exhaust Die Grinder

- .5 HP, Straight-Line, Extension Type, 20,000 RPM, (1/4" Collet)
- Gearless motors decrease downtime & lessen repair expense
- .44 HP @ 20,000 RPM
- Hose size 3/8"



Order No. PF30-53502
List Price \$564.00

SALE \$459⁹⁵

E

PT-436*141



17-Pc. Pneumatic Accessory Set

- Complete Assortment of Clean-up and Inflation Tools, Adapters, and Air Tool Connectors
- Universal Fit 1/4" NPT

NEW



1-Piece each: Blow Gun, 50 PSI Tire Gauge, Dual Tire Chuck, Precision Nozzle, Safety Nozzle/Tip Adapter, Power Wire Brush and Female Coupler

2-Piece each: Inflation Needles, Female Quick Connect Plugs, Male Quick Connect Plugs, Quick Connect Couplers, Male Couplers

Order No. **KP85-47261**
Regular List Price \$27.30

SALE \$14.95

D

PT-460*141



Hose Reels

- Professional Grade All-Steel Construction
- Heavy Duty Dual Arm, 4-Roller Hose Guide
- 12-Position Ratchet Gearing Locks Hose at Any Length
- Goodyear reinforced air hose with 1/4 NPT fittings
- Abrasion-resistant rubber outer jacket and bend restrictor
- 250 PSI working pressure
- Oil resistance

NEW



Hose OD	Length	Order No.	List Price	INTRODUCTORY PRICE
3/8"	50'	KP85-46731	\$273.10	\$139.95
1/2"	50'	KP85-46741	326.25	169.95

D

PT-462*141



Air Filter / Regulator / Lubricator Trio

NEW

- All-in-One Air Management System
- Regulator Gauge Measures Air Pressure up to 160 PSI
- Filter Device Removes Harmful Solid and Liquid Particles from Air Flow
- Brass Drain Valves for Filter and Lubricator
- Micro-Fog Lubricator Supplies Oil Mist to Working Air Tools
- The Combined Unit Effectively Extends the Life of Air Tools and Reduces Maintenance and Repair Costs
- Air Inlet & Outlet: 3/8" NPT



Order No. **KP85-4592**
Regular Price \$108.95

SALE \$56.95

D

PT-461*141



3/8" Rubber Air Hose

- Exceeds 4:1 safety factor
- Polyester braiding for extra strength
- Oil and abrasion resistant rubber outer jacket
- Solid brass end fittings
- Oil-resistant interior tube
- 3/8" I.D. / 300 PSI



10-YEAR WARRANTY



Length	Order No.	List Price	SALE
25'	KP85-46544	\$ 34.55	\$19.95
50'	KP85-46545	57.50	31.95
100'	KP85-46546	105.10	59.95

D

PT-439*141



Typhoon™ High Flow Blow Guns

1/4" NPT Blow Gun with High Flow Tip

- 1/4" NPT Blow Gun with High Flow Tip
- Maximum flow for easy clean-up and blow-off of even the heaviest shavings and chips
- Lightweight and ergonomic
- 1/4" NPT up to 34 CFM at 125 PSI and 2.1 lbs. of thrust
- 3/8" NPT up to 51 CFM at 125 PSI and 3.1 lbs. of thrust
- OSHA compliant



LT51-TYP2500CS
LT51-TYP3800MJ

Size	Order No.	Regular Price	SALE
1/4" NPT with high flow tip	LT51-TYP2500CS	\$21.50	\$14.95
1/4" NPT chrome-plated with high flow tip	LT51-TYP2501CS	33.90	24.95
3/8" NPT with multi-jet tip	LT51-TYP3800MJ	43.15	29.95

D

MT-432*141



MEGABOOST™ Grease Guns

- Delivers 10,000 PSI • Exclusive dual piston design
- Mode switch • Superior cold weather performance
- Deluxe combination filler nipple/air bleeder valve
- Heavy duty cast aluminum pump head
- Heavy gauge knurled steel barrel
- Unique slotted head design



LX55-L1185
Shown

Rigid Extension
Order No. **LX55-L1180**
Regular Price \$119.25

Flexible Extension
Order No. **LX55-L1185**
Regular Price 124.10

SALE \$79.95 **SALE \$84.95**

D

PT-400*141




Lubelink™ Grease Accessories

- Designed for general purpose, automotive and for heavy duty contractor lubricating jobs
- Durable carrying case supplied
- Each accessory has a dedicated compartment so the kit can be easily accessed

General Purpose Grease Accessory Kit Includes:

- 12 in. Steel braid rubber grease hose with spring guard and 4-jaw coupler
- Hypodermic type grease injector needle with quick-connect coupler
- 3 in. straight needlepoint coupler
- 90° 3 in. straight needlepoint coupler
- Right angle needlepoint coupler
- Low profile right angle coupler
- 8 in. push-on type coupler



Order No. **LX55-L2550**
Regular Price \$129.55

SALE \$87.95

D

PT-401*141

Mounted Point Tool Room Assortment

- All Common Sizes and Shapes
- In convenient storage box

100-Pc. Assortment – 1/8" Shank
Order No. **ML50-MP100**
Regular Price \$53.25

50-Pc. Assortment – 1/4" Shank
Order No. **ML50-MP50**
Regular Price \$54.55

100-Pc.
Assortment
Shown



YOUR CHOICE \$39.95

A-438*141